

FIXTURE SCHEDULE

[illegible]

PLUMBING NOTES

WASTE, DRAIN, AND VENT PIPING
SHALL BE PVC FOAMCORE ASTM F891-00.

DOMESTIC WATER PIPING TO BE TYPE M COPPER PIPE.

HOSE BIBBS, WALL HYDRANTS, AND OTHER OPENINGS WITH A HOSE CONNECTION SHALL BE PROTECTED BY AN ATMOSPHERIC TYPE VACUUM BREAKER, OR A PERMANENTLY ATTACHED HOSE CONNECTION VACUUM BREAKER

WATER HEATER TO DRAIN OUTSIDE OF BUILDING.

IMPORTANT NOTICE
THIS DRAWING, DESIGN, AND THE
INTELLECTUAL DATA CONTAINED
HEREIN, ARE THE EXCLUSIVE
PROPERTY OF C. R. BENFORD, INC.
THEY MAY NOT BE DUPLICATED,
DISPLAYED OR USED FOR
ANY PURPOSE WITHOUT THE
WRITTEN CONSENT
OF C. R. BENFORD, INC.

KENNETH M SPENCER
MASTER PLUMBER
MASTER GAS FITTER
LICENSE NUMBER 2710019544

DRAWN BY S. SURRETT

C. R. BENFORD, INC.
26 NORTH HOPE STREET
HAMPTON, VIRGINIA 23663
(757) 722-9851

PLUMBING DRAWINGS

NORGE CROSSING

JAMES CITY COUNTY VIRGINIA

Date: 6 MARCH 2006

P-5
PAGE 5 OF 8



ELECTRIC WATER HEATER DETAIL